


KENTON

THRU-5

1 into 5 MIDI Thru Box




Operating manual

FCC Statement for THRU-5

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Information on Disposal for Users of WEEE



This symbol on the product and / or accompanying documents means that used electrical and electronic equipment (WEEE) should not be mixed with general household waste. For proper treatment, recovery and recycling, please take this product(s) to designated collection points where it will be accepted free of charge.

Alternatively, in some countries, you may be able to return your products to your local retailer upon purchase of an equivalent new product.

Disposing of this product correctly will help save valuable resources and prevent any potential negative effects on human health and the environment, which could otherwise arise from inappropriate waste handling.

Please contact your local authority for further details of your nearest designated collection point.

Penalties may be applicable for incorrect disposal of this waste, in accordance with your national legislation.

For disposal in countries outside of the European Union

This symbol is only valid in the European Union (EU). If you wish to discard this product, please contact your local authorities or dealer and ask for the correct method of disposal.

Description

The THRU-5 has one MIDI Input and five MIDI Thru ports to enable you to connect several MIDI devices to one MIDI output, without the usual problems encountered when daisy-chaining MIDI devices.

The THRU-5 has an opto-coupled MIDI Input and separate drive circuits for each MIDI Thru socket for optimum performance. The THRU-5 also incorporates active circuitry to help restore the quality of signals received at the MIDI Input that may have become degraded by losses in the MIDI cable.

The THRU-5 is powered by a mains adaptor (supplied), so it doesn't need periodic battery changes to keep it working, enabling you to "fit and forget".

Connecting

Ensure that the power adaptor is plugged in, and the ACTIVE LED on the THRU-5 is on. Connect the MIDI output of your keyboard or computer to the MIDI Input of the THRU-5 and connect one or more of the MIDI Thru ports of the THRU-5 to the MIDI inputs of the devices you want to control.

Do not connect any of the MIDI Thru ports of the THRU-5 back to the MIDI Input of the device which is supplying data to the MIDI In port of the THRU-5, as this may cause a MIDI loop to occur. This may cause note hangs or other undesirable effects.

Specification

Power Input	9V DC (regulated or unregulated) – never apply more than 12V (never use an unregulated supply greater than 9V as unregulated supplies typically give a higher output than shown)
Power	10mA, 2.1mm plug (centre positive)
MIDI	1 x In, 5 x Thru
Weight	110g (excluding power supply)
Dimensions	100 x 46 x 32 mm
Power supply	Supplied with unit. Specify UK EU or US type when ordering.

Warranty

The *THRU-5* comes with a 12 month (from purchase date) back to base warranty, (i.e. customer must arrange and pay for carriage to and from Kenton Electronics Ltd).



Unit 3, Epsom Downs Metro Centre, Waterfield, Tadworth, KT20 5LR, UK
+44 (0)20 8544 9200 www.kenton.co.uk tech@kenton.co.uk

Version 1v01

e. & o. e. © 3rd January 2024